





# SWING SPEED UP DESIGN DESIGNED FOR ULTIMATE DISTANCE SPRING TECHNOLOGY

#### **BALLOON CROWN**


#### New crown featuring a Laminar Airfoil design

Driver Only

Innovative new aerodynamic balloon shaped head creates increased swing speed thanks to reduction in air resistance and drag.



By using a balloon like shape for the crown, the aerodynamics of the head are improved reducing air resistance and minimizing turbulance which produces increased swing speeds and more ball speeds. The result is more power and more distance.



#### LONG SOLE POWER TRENCH

Power Trench for a bigger sweet spot, more distance and ease of use



#### INCREASED BALL SPEEDS AND FORGIVENESS

#### Designed for increased spring effect which equals more ball speeds

Our unique GIII face shape continues to evolve to create even bigger sweet spots and faster ball speeds. Combined with the improved Power Trench, GIII pushes the limits of easy distance and performance.



Circle Face


# THE ULTIMATE DISTANCE SHAFT CREATED WITH DAIWA CARBON TECHNOLOGY SWING SPEED UP × STABILITY UP

DAIWA's experience in the development of carbon fiber is unrivalled thanks to over 60 years of experience as a world leader in fishing gear technology, in particular fishing rods. Key proprietary technologies are carried over to create revolutionary GIII shafts, unmatched in quality, feel, and performance.

#### DISTANCE AND STABILITY UP - SVF CARBON

Increase swing speed, maximize impact energy, improve ball speeds, stability and control

Golf shafts are made of carbon fiber sheets held together by resin. Most golf shafts have a high ratio of resin to carbon fibers which makes the shaft less consistent and less stable. GIII shafts have tighter packed carbon fiber material meaning far less resin. GIII shafts are able to create better energy transfer thanks to a much more consistent load and release, while at the same time increasing head speed, thanks to its lighter weight. Swing naturally produces a stable and consistent swing for more distance, more accuracy.



More powerful unload equals increased distance.


The shaft flexes powerfully and consistently for more efficient energy transfer.



#### HIGH SPEED, HIGH REBOUND SHAFT

## Reducing air resistance and increasing speed equals ball speeds up

Our uniquely developed slim taper shape shaft loads and unloads quickly. The slim design reduces air resistance increasing swing speed and increasing distance performance.





The taper of the shaft begins after the butt which allows the shaft to load and unload quickly and square to the ball more powerfully.

#### LIGHT WEIGHT DESIGN

Light weight shaft makes the club lighter and easier to swing which increases swing speed.

Compared to previous model

6g lighter

Fairway Wood (W3)

Compared to previous model

6g lighter

Utility (U3)

Compared to previous model

7g lighter



# Driver



The ultimate in distance has been evolved. Innovative head and shaft design reduces air resistance and increases swing speeds. Improved POWER TRENCH with GIII Neo Titanium face equals a larger sweet spot and more ball speeds. Made in Japan quality, premium looks with premium performance.

#### **GIII DRIVER**

made in Japan

|                |       | Lady  |        |       |  |  |  |  |
|----------------|-------|-------|--------|-------|--|--|--|--|
| OFT (°)        | 10.5  | 11    | .5     | 12.5  |  |  |  |  |
| E (° )         |       |       |        |       |  |  |  |  |
| ACE ANGLE (° ) | ±1    | +1.5  |        |       |  |  |  |  |
| OLUME (cm³)    | 460   |       |        |       |  |  |  |  |
| _EX            | R     | R     | R-LITE | L     |  |  |  |  |
| ENGTH (inch)   | 45.75 | 45.75 | 45.25  | 44.25 |  |  |  |  |
| /EIGHT (g)     | 273   | 273   | 272    | 268   |  |  |  |  |
| WING WEIGHT    | С9    | C9    | C8.5   | C3    |  |  |  |  |
|                |       |       |        |       |  |  |  |  |

● HEAD / Face: GIII Neo Titanium, Body: 6-4Ti

• FINISH/Super Mirror Plating HEAD: Conforming to SLE Rules

#### SHAFT: SVF LITE-C FM-420D / FL-420D

| Man              | L     | ady    |       |
|------------------|-------|--------|-------|
|                  | М     | an     | Lady  |
| FLEX             | R     | R-LITE | L     |
| WEIGHT (g)       | 44    | 43     | 41    |
| TORQUE (° )      | 5.7   | 5.7    | 6.5   |
| KICK POINT       | LOW   | LOW    | LOW   |
| HEAD SPEED (m/s) | 34-40 | 36-42  | 30-34 |

• Recommended head speed is based on the driver and for reference only.

**GRIP**: **GIII** Super Light **IV**(**35**g) / **GIII** Super Light Lady **IV**(**33**g)



)

Head cover included.

# Fairway wood





Evolved Spring Technology plus Swing Speed up Technology creates a fairway wood that combines distance, ease of use and exhilarating feel and sound at impact.

|                           |       |        |     |       |        |     | - 11 | iaue III . | apan  |  |
|---------------------------|-------|--------|-----|-------|--------|-----|------|------------|-------|--|
| CLUB                      |       | 3W     |     |       | 5W     |     |      | 7W         |       |  |
| LOFT (°)                  |       | 15     |     |       | 18     |     |      | 21         |       |  |
| LIE (°)                   |       | 57.5   |     |       | 58     |     |      | 58.5       |       |  |
| FACE ANGLE (°)            |       | +1     |     |       | +1     |     |      | +1         |       |  |
| VOLUME (cm <sup>3</sup> ) |       | 190    |     | 185   |        |     | 176  |            |       |  |
| FLEX                      | R     | R-LITE | L   | R     | R-LITE | L   | R    | R-LITE     | L     |  |
| LENGTH (inch)             | 43.25 | 42.75  | 42  | 42.25 | 41.75  | 41  | 41.5 | 41         | 40.25 |  |
| WEIGHT (g)                | 286   | 285    | 280 | 293   | 292    | 287 | 299  | 298        | 293   |  |
| SWING WEIGHT              | C9    | C6.5   | C3  | C9    | C6.5   | C3  | C9   | D6.5       | C3    |  |

- HEAD/Face : GIII Neo Titanium, Body : 6-4Ti
- FINISH / Super Mirror Plating HEAD : Conforming to SLE Rules

#### SHAFT: SVF LITE-C FM-420F / FL-420F

| Man              | L     | ady    | A C   |
|------------------|-------|--------|-------|
|                  | M     | an     | Lady  |
| FLEX             | R     | R-LITE | L     |
| WEIGHT (g)       | 46    | 45     | 43    |
| TORQUE (°)       | 5.4   | 5.4    | 6.1   |
| KICK POINT       | LOW   | LOW    | LOW   |
| HEAD SPEED (m/s) | 34-40 | 36-42  | 30-34 |

- · Recommended head speed is based on the driver and for reference only.
- · Head cover included.

GRIP: GIII Super Light IV (35g) / GIII Super Light Lady IV (33g)



# Utility



Evolved Spring Technology plus Swing Speed up Technology creates a utility that combines distance, ease of use and exhilarating feel and sound at impact.

#### **GIII UTILITY**

made in Japan

| CLUB            |     | U3     |       |     | U4     |       |      | U5     |       |  |
|-----------------|-----|--------|-------|-----|--------|-------|------|--------|-------|--|
| LOFT (°)        |     | 20     |       |     | 23     |       | 26   |        |       |  |
| LIE (° )        |     | 58.5   |       |     | 59     |       | 59.5 |        |       |  |
| FACE ANGLE (° ) |     | +2 +2  |       |     |        | +2    |      |        |       |  |
| VOLUME (cm³)    |     | 138    |       | 136 |        |       | 132  |        |       |  |
| FLEX            | R   | R-LITE | L     | R   | R-LITE | L     | R    | R-LITE | L     |  |
| LENGTH (inch)   | 41  | 40.5   | 39.75 | 40  | 39.5   | 38.75 | 39   | 38.5   | 37.75 |  |
| WEIGHT (g)      | 305 | 304    | 298   | 313 | 313    | 307   | 323  | 323    | 318   |  |
| SWING WEIGHT    | C9  | C6.5   | C3    | C9  | C6.5   | C3    | С9   | D6.5   | C3    |  |
|                 |     |        |       |     |        |       |      |        |       |  |

- HEAD/Face : Neo Titanium, Body : 6-4Ti
- FINISH/Super Mirror Plating HEAD: Conforming to SLE Rules

#### SHAFT: SVF LITE-C FM-420U / FL-420U

| Man              | L       | ady     |         |
|------------------|---------|---------|---------|
|                  | M       | an      | Lady    |
| FLEX             | R       | R-LITE  | L       |
| WEIGHT (g)       | 47      | 46      | 43      |
| TORQUE (°)       | 5.0     | 5.0     | 5.5     |
| KICK POINT       | LOW/MID | LOW/MID | LOW/MID |
| HEAD SPEED (m/s) | 34-40   | 36-42   | 30-34   |

- Recommended head speed is based on the driver and for reference only.
- Head cover included.

GRIP: GIII Super Light IV (35g) / GIII Super Light Lady IV (33g)



10

# Iron



Evolving maximum distance. Improved Spring Technology to push ball speeds even faster. An innovative shaft design that increases swing speed and directional stability. A distance iron that produces an easy high ball flight that let's you just aim at the pin.

| GIII IRON          |      |     |     |         |      |     |     |      |      |     |     |      |      |     | r   | made | in Ja | apan |
|--------------------|------|-----|-----|---------|------|-----|-----|------|------|-----|-----|------|------|-----|-----|------|-------|------|
|                    |      | Man |     |         |      |     |     |      |      |     |     |      |      |     |     |      |       |      |
| CLUB               | #    | :5  | #   | 6       | #    | 7   | #   | 8    | #    | 9   | #   | 10   | P'   | W   | A'  | W    | S'    | W    |
| LOFT (°)           | 2    | 1   | 2   | 4       | 2    | 7   | 3   | 0    | 3    | 4   | 3   | 9    | 4    | 4   | 5   | 0    | 5     | 6    |
| LIE (°)            | 61   | .0  | 61  | .5      | 6    | 2   | 62  | 2.5  | 6    | 3   | 63  | 3.5  | 6    | 4   | 64  | 1.5  | 64    | 1.5  |
| FLEX (RL = R-LITE) | R    | RL  | R   | RL      | R    | RL  | R   | RL   | R    | RL  | R   | RL   | R    | RL  | R   | RL   | R     | RL   |
| LENGTH (inch)      | 38.5 | 38  | 38  | 37.5    | 37.5 | 37  | 37  | 36.5 | 36.5 | 36  | 36  | 35.5 | 35.5 | 35  | 35  | 34.5 | 35    | 34.5 |
| WEIGHT (g)         | 327  | 326 | 332 | 331     | 337  | 336 | 342 | 341  | 349  | 348 | 354 | 353  | 363  | 362 | 374 | 373  | 377   | 376  |
| SWING WEIGHT       | C8   | C5  | C8  | C5      | C8   | C5  | C8  | C5   | C8   | C5  | C8  | C5   | C9   | C6  | D0  | C7   | D1    | C8   |
|                    |      |     |     |         |      |     |     |      | La   | dy  |     |      |      |     |     |      |       |      |
| CLUB               | -    | -   | #   | 6       | #    | 7   | #   | 8    | #    | 9   | #   | 10   | P'   | W   | A'  | W    | S'    | W    |
| LOFT (°)           | -    | -   | 2   | 5       | 2    | 8   | 3   | 1    | 3    | 5   | 4   | 0    | 4    | 5   | 5   | 0    | 5     | 6    |
| LIE (°)            | -    | _   | 6   | 2       | 62   | 2.5 | 6   | 3    | 63   | 3.5 | 6   | 4    | 64   | 1.5 | 6   | 5    | 6     | 5    |
| FLEX               | -    | _   |     |         |      |     |     |      |      |     | L   |      |      |     |     |      |       |      |
| LENGTH (inch)      | -    | _   | 3   | 7       | 36.5 |     | 3   | 6    | 35   | 5.5 | 3   | 5    | 34   | 1.5 | 3   | 4    | 3     | 4    |
| WEIGHT (g)         | -    | _   | 32  | 325 331 |      |     |     | 36   | 34   | 43  | 3.5 | 51   | 3.5  | 57  | 36  | 57   | 36    | 58   |
| SWING WEIGHT       | -    | -   | C   | 3       | C    | 3   | C   | 3    | C    | 3   | C   | 4    | C    | 4   | C   | 5    | C     | .5   |

- HEAD / [5i~PW] : Neo Titanium Face + 17-4PH Stainless Body + Sintered Tungsten [AW/SW] : 17-4PH Stainless
- FINISH / Mirror + Satin Plating Conforming to R&A Rules

#### SHAFT: SVF LITE-C FM-420I / FL-420I

|                  |       | - POCAFFILINI | AVEC TO STATE OF THE PARTY OF T |
|------------------|-------|---------------|--|
| Man              |       | Lady          |  |
|                  | M     | an            | Lady   |
| FLEX             | R     | R-LITE        | L  |
| WEIGHT (g)       | 49    | 48            | 44   |
| TORQUE (°)       | 4.9   | 4.9           | 5.2  |
| KICK POINT       | MID   | MID           | MID  |
| HEAD SPEED (m/s) | 34-40 | 36-42         | 30-34  |

• Recommended head speed is based on the driver and for reference only.

GRIP: GIII Super Light IV (35q) / GIII Super Light Lady IV (33q)



#### NEO TITANIUM FACE + FULL CORE GROOVES

An evolved face design creates a wider sweet spot, more ball speeds, and more distance and ease of use.



#### MULTI ANGLE TWIN CUT SOLE

A unique sole design that reduces friction at impact making it easier to swing and more stable.



#### **GRAVITY CONTROL**

High MOI head design with excellent accuracy even on miss hits.

High Moment of Inertia head with a low and deep center of gravity and longer CG distance help the head square faster to the ball for a more powerful impact.

Sintered Tungsten Weight

#### LIGHTER WEIGHT

A lighter club is easier to swing and creates more swing speed.

Compared to previous model (7i)

10g LIGHTER

# Putter

A revival of the GIII swan neck design creates a face balanced putter, easier to align and putt straight in the hole.

A face balanced putter produces a more stable and consistent stroke. The GIII putter combines our unique swan neck with a familiar blade shape head which allows the player to aim with confidence and repeat the same stroke over and over.



#### **GIII PUTTER**

| GIII PUTTER  |     | made in Japan |
|--------------|-----|---------------|
| OFT (° )     | 4   | 1             |
| IE (° )      | 71  | 71            |
| ENGTH (inch) | 34  | 32            |
| VEIGHT (g)   | 565 | 560           |

- HEAD / 17-4PH Stainless
- GRIP/GIII Original Leather Grip (92g)
- SHAFT/GIII Original Steel
- FINISH/Ni-Cr Plating+Black I.P.
- Head cover included.

# Equipment

High quality synthetic leather bag featuring a traditional Japanese Kinran pattern.







#### KINRAN

Luxurious woven fabric using yarn meshed with gold threads. Originally introduced in China then in Japan during the Edo period. Weaved at Nishijin.

#### Caddie Bag/GB0320

● COLOR: Black SIZE: 9inch opening, 47 inch club compatible WEIGHT: 4.2kg MATERIALS: Synthetic Leather (PU)

#### Boston Bag/GV0320

● COLOR: Black SIZE: 49×25×30cm MATERIALS: Synthetic Leather (PU)



# SIGNATURE CLUB FUNCTION

#### **NEW DOUBLE REPULSION HEAD**

#### **EVOLVED DOUBLE POWER TRENCH**

The new SIGNATURE features deeper, longer and wider Power Trenches which increase spring effect through more powerful and consistent flex and recovery of the head at impact.





#### **SOUND SPINE**

Inside the head on the sole and crown, sound spines help create a more pleasing impact sound.



# MORE SPRING EFFECT THANKS TO OUR GIII NEO TITANIUM FACE

At 1.6 times more flexible than standard titanium, we are able to achieve an amazing COR rating of 0.875.

\*based on our measuring methods

# LASER MILLING CREATES STABLE SPIN AND BALL FLIGHT

Not just a beautiful face, the laser milling helps stabilize spin even in wet or bad conditions.



# Driver



A luxury head with all our technology for the sake of more distance. The pinnacle of driver performance and quality design and manufacturing

#### GIII SIGNATURE DRIVER

made in Japan

|                 |     | М   | an   | Lady |
|-----------------|-----|-----|------|------|
| LOFT (° )       | 10  | ).5 | 11.5 | 11.5 |
| LIE (° )        | 6   | 51  | 62   | 62   |
| FACE ANGLE (° ) | +   | -1  | +1.5 | +1.5 |
| VOLUME (cm³)    | 40  | 50  | 460  | 460  |
| FLEX            | R   | SR  | R    | L    |
| LENGTH (inch)   | 4   | 6   | 46   | 44.5 |
| WEIGHT (g)      | 262 | 268 | 262  | 261  |
| SWING WEIGHT    | D0  | D1  | D0   | C4   |

• Head / Face : GIII NEO Titanium Body : 6-4 Titanium

• Grip / GIII Signature Super Light III (30g) / GIII Signature Super Light Lady III (33g)

Finish / Crystal Mirror Finish + Gold I.P.

SHAFT: SVF EX IV FM-419D/FL-419D

GIII PINK SILVER COATING

|                  | *****   |         | -       |
|------------------|---------|---------|---------|
|                  | М       | an      | Lady    |
| ELEX             | R       | SR      | L       |
| VEIGHT (g)       | 39      | 45      | 37      |
| ORQUE (°)        | 5.7     | 4.6     | 6.1     |
| (ICK POINT       | LOW/MID | LOW/MID | LOW/MID |
| HEAD SPEED (m/s) | 34-40   | 36-42   | 30-34   |

• Recommended head speed is based on the driver and for reference only.

This is a Hi-COR club and does NOT conform to SLE Rules.
 Please use this club for recreational play only.

Head cover included.

# Fairway wood



NEW DOUBLE REPULSION HEAD AND CENTER OF GRAVITY DESIGN



SPIN AND BALL FLIGHT

IN THE HEAVY SOLE

The lowest and deepest center of gravity in

GIII history creates a high launch, low spin

All for more distance, even the fairway wood is HI-COR. Automatic easy high launch, easy distance on that second shot to the green.

#### Man/Ladv CLUB W3 W5 LOFT (°) 15 18 LIE (°) 58 58.5 FACE ANGLE (°) +1 +1 VOLUME (cm3) 195 188

made in Japan

PINK GOLD I.P.

GIII SIGNATURE FAIRWAY WOOD

R SR SR FLEX R LENGTH (inch) 43.5 42.25 42.5 41.5 279 283 278 283 WEIGHT (q) 285 288 D0 D1 C4 D0 D1 C4 **SWING WEIGHT** 

• Head / Face : GIII NEO Titanium Body: 6-4 Titanium

Sole: 17-4PH Stainless

• Grip / GIII Signature Super Light III (30g) / GIII Signature Super Light Lady III (33g)

• Finish / Mirror Finish + Gold I.P.

#### SHAFT: SVF EX IV FM-419F/FL-419F

| 1)(B) = 1        |       | -     | -     |
|------------------|-------|-------|-------|
|                  | M     | an    | Lady  |
| FLEX             | R     | SR    | L     |
| WEIGHT (g)       | 43    | 49    | 39    |
| TORQUE (°)       | 5.2   | 4.5   | 5.9   |
| KICK POINT       | 先中    | 先中    | 先中    |
| HEAD SPEED (m/s) | 34-40 | 36-42 | 30-34 |

- · Recommended head speed is based on the driver and for reference only.
- · This is a Hi-COR club and does NOT conform to SLE Rules. Please use this club for recreational play only.
- · Head cover included.

# Utility



NEW DOUBLE REPULSION HEAD AND CENTER OF GRAVITY DESIGN



The lowest and deepest center of gravity in

GIII history creates a high launch, low spin

No compromises for distance. Even the utility is HI-COR. More distance, more forgiveness, a true utility for any situation.

#### **GIII SIGNATURE UTILITY**

made in Japan

|                |     | Man/Lady |     |      |     |       |     |     |       |  |
|----------------|-----|----------|-----|------|-----|-------|-----|-----|-------|--|
| CLUB           |     | U3       |     |      | U4  |       | U5  |     |       |  |
| LOFT (°)       |     | 20       |     | 23   |     |       | 26  |     |       |  |
| LIE (°)        |     | 59       |     | 59.5 |     |       | 60  |     |       |  |
| FACE ANGLE (°) |     | +2       |     | +2   |     |       | +2  |     |       |  |
| VOLUME (cm³)   |     | 144      |     |      | 139 |       |     | 134 |       |  |
| FLEX           | R   | SR       | L   | R    | SR  | L     | R   | SR  | L     |  |
| LENGTH (inch)  | 4   | 41       |     | 40   |     | 38.75 | 39  |     | 37.75 |  |
| WEIGHT (g)     | 300 | 305      | 300 | 308  | 313 | 308   | 317 | 322 | 317   |  |
| SWING WEIGHT   | D0  | D1       | C4  | D0   | D1  | C4    | D0  | D1  | C4    |  |

- U3(L) is a special order
- · Head / Face : GIII NEO Titanium

Body: 6-4 Titanium Sole: 17-4PH Stainless

- Grip / GIII Signature Super Light III (30g) / GIII Signature Super Light Lady III (33g)
- Finish / Mirror Finish + Gold I.P.

#### SHAFT: SVF EX IV FM-419U/FL-419U

PINK GOLD I.P.

| 0.000            |         |         |         |
|------------------|---------|---------|---------|
|                  | M       | Lady    |         |
| FLEX             | R       | SR      | L       |
| WEIGHT (g)       | 44      | 51      | 40      |
| TORQUE (° )      | 4.7     | 4.1     | 5.5     |
| KICK POINT       | LOW/MID | LOW/MID | LOW/MID |
| HEAD SPEED (m/s) | 34-40   | 36-42   | 30-34   |

- Recommended head speed is based on the driver and for reference only.
- This is a Hi-COR club and does NOT conform to SLE Rules Please use this club for recreational play only.
- · Head cover included

trajectory. trajectory.

## Iron

Designed to provide the ultimate in distance and ease of use with our proprietary Neo Titanium Face and Neo Twin Cut Sole.



#### **GIII SIGNATURE IRON**

made in Japan

|               | Man |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| CLUB          | #   | 5   | #   | 6   | #   | 7   | #   | 8   | #   | 9   | #   | 10  | P۱  | W   | A'  | W   | S١  | W   |
| LOFT (°)      | 2   | 1   | 2   | 4   | 2   | 7   | 3   | 0   | 3   | 4   | 3   | 9   | 4   | 4   | 5   | 0   | 5   | 6   |
| LIE (°)       | 60  | .5  | 6   | 1   | 61  | .5  | 6   | 2   | 62  | .5  | 6   | 3   | 63  | .5  | 6   | 4   | 6   | 4   |
| FLEX          | R   | SR  |
| LENGTH (inch) | 38  | 3.5 | 3   | 8   | 37  | 7.5 | 3   | 7   | 36  | .5  | 3   | 6   | 35  | .5  | 3   | 5   | 3   | 5   |
| WEIGHT (g)    | 331 | 335 | 336 | 340 | 341 | 345 | 348 | 352 | 355 | 359 | 360 | 365 | 371 | 376 | 381 | 385 | 384 | 388 |
| SWING WEIGHT  | C8  | C9  | C8  | C9  | C8  | C9  | C9  | D0  | C9  | D0  | C9  | D0  | D0  | D1  | D1  | D2  | D2  | D3  |

|               | Lady |      |      |      |      |      |      |      |      |
|---------------|------|------|------|------|------|------|------|------|------|
| CLUB          | _    | #6   | #7   | #8   | #9   | #10  | PW   | AW   | SW   |
| LOFT (°)      | _    | 25   | 28   | 31   | 35   | 40   | 45   | 50   | 56   |
| LIE (°)       | _    | 61.5 | 62   | 62.5 | 63   | 63.5 | 64   | 64.5 | 64.5 |
| FLEX          | _    | L    | L    | L    | L    | L    | L    | L    | L    |
| LENGTH (inch) | _    | 37   | 36.5 | 36   | 35.5 | 35   | 34.5 | 34   | 34   |
| WEIGHT (g)    | _    | 327  | 332  | 337  | 344  | 352  | 360  | 368  | 370  |
| SWING WEIGHT  | _    | C3   | C3   | C3   | C3   | C4   | C4   | C5   | C5   |

- Head / [5i~PW]: NEO Titanium Face + 17-4 Stainless Body + Sintered Tungsten [AW/SW]: 17-4PH Stainless
- Grip / GIII Signature Super Light III (36g) / GIII Signature Super Light Lady III (33g)
- Finish / Mirror Finish + Gold I.P.

#### SHAFT: SVF EX IV FM-419I / FL-419I

PINK GOLD I.P.

| @2 (@ GIII v     |       |       |       |  |  |  |  |  |  |
|------------------|-------|-------|-------|--|--|--|--|--|--|
|                  | М     | an    | Lady  |  |  |  |  |  |  |
| FLEX             | R     | SR    | L     |  |  |  |  |  |  |
| WEIGHT (g)       | 47    | 53    | 44    |  |  |  |  |  |  |
| TORQUE (°)       | 4.5   | 4.0   | 4.8   |  |  |  |  |  |  |
| KICK POINT       | MID   | MID   | MID   |  |  |  |  |  |  |
| HEAD SPEED (m/s) | 34-40 | 36-42 | 30-34 |  |  |  |  |  |  |

- Recommended head speed is based on the driver and for reference only.
- · This club does NOT conform to New Groove Rules.
- Please use this club for recreational play only.
- Head covers included.

# SIGNATURE CLUB FUNCTION

#### A NEW DOUBLE REPULSION HEAD

# MAKE BETTER IMPACT GIII NEO TWIN CUT SOLE

Our wide sole with specially designed indent reduces digging and minimizes friction with the ground at impact creating better impact. Better impact equals more distance and better accuracy.



#### **NEO TITANIUM FACE**

Our proprietary titanium face produces 0.825 COR, the highest for an iron in GIII history.

\*based on our measuring methods

#### POWER TRENCH (bottom face)

Special trenches (grooves) on the back face help increase flex and repulsion for higher ball speeds and more distance. The larger sweet spot maximizes spring effect towards the bottom of the face,



# SINTERED INNER TUNGSTEN CREATES AN EASY HIGH LAUNCH TRAJECTORY

Sintered inner tungsten built into the sole moves the center of gravity low and deep for an easy high launch with optimal spin. Easy distance for even slower swingers.

#### SQUARE GROOVES + LASER MILLING = IMPROVED SPIN

Spin performance is greatly improved thanks to non conforming square grooves. Increased spin helps you attack the green with confidence.



# Putter

A revival of the GIII swan neck design creates a face balanced putter, easier to align and putt straight in the hole.

A face balanced putter produces a more stable and consistent stroke. The GIII putter combines our unique swan neck with a familiar blade shape head which allows the player to aim with confidence and repeat the same stroke over and over.



#### **GIII SIGNATURE PUTTER**

made in Japan

| LOFT (°)      | 3.  | 3.5 |  |  |  |  |  |
|---------------|-----|-----|--|--|--|--|--|
| LIE (° )      | 71  | 71  |  |  |  |  |  |
| LENGTH (inch) | 34  | 32  |  |  |  |  |  |
| WEIGHT (g)    | 582 | 576 |  |  |  |  |  |

- HEAD / Body : Forged (S25C) Neck : 17-4PH Stainless
- High Precision CNC Machining
- GRIP/GIII Original Leather Grip (92g)
- SHAFT / GIII Original Steel
- FINISH/Ni-Cr Plating+Gold I.P.
- Head cover included.

# Equipment

High quality leather combined with silky and supple nylon. Nylon is not only elegant and glossy but also elastic and durable. The leather adds to the soft touch. The inner pocket features the Japanese craft Sakizome, the process of dyeing thread before the cloth is woven and is produced in Kyoto (Nishijin).



#### Caddie Bag/GB0419

COLOR: Black SIZE: 9inch opening, 47 inch club compatible
 WEIGHT: 4.1kg MATERIALS: Nylon x Leather x Polyester
 Deodorant Name (Odor removal/Anti-bacterial) included

#### Boston Bag/GV0419

- COLOR: Black SIZE: 49×23×32cm
   MATERIALS: Nylon x Leather x Polyester, Shoes Pocket included
   Deodorant Name (Odor removal/Anti-bacterial) included
- Actual pocket may differ from image

